

C/María de Molina 3, 1º • Madrid 28006 • Telf.: 91 781 5070 • Fax : 91 781 5079 • fundacionlilly@lilly.com

Registro Nº

CURRÍCULUM VITAE

			-	1	1
--	--	--	---	----------	----------

APELLIDOS: PÉREZ SOLA

NOMBRE: VÍCTOR

NIF: 39.158.256-C

FECHA DE NACIMIENTO (dd mm aaaa):

26	09	1960
----	----	------

DIRECCION PARTICULAR: Pare Llauradó 120

DISTRITO POSTAL: 08224

LOCALIDAD: Terrassa

PROVINCIA: Barcelona

TELÉFONO: 93.553.78.40

TELÉFONO Móvil: 607.66.42.85

FORMACIÓN ACADÉMICA

<u>LICENCIATURA /</u>	<u>CENTRO</u>	<u>FECHA</u>
Medicina y Cirugía	Universitat Autònoma de Barcelona	1985
DOCTORADO		
Psiquiatría	Universitat Autònoma de Barcelona	2000

SITUACIÓN PROFESIONAL ACTUAL Y FECHA DE INICIO:

Director de Unidad

DPTO./SECC./UNIDAD: Servicio de Psiquiatría

CENTRO/ FACULTAD/ ESCUELA/ INSTITUTO:

Hospital de la Santa Creu i Sant Pau. Universitat Autònoma de Barcelona

ORGANISMO:

DIRECCIÓN (Profesional):

Av. Sant Antoni M^a Claret 167

LOCALIDAD Barcelona **DISTRITO POSTAL** 08025 **CIUDAD** Barcelona

TELÉFONO (indicar extensión): 93.553.78.40

FAX: 93.553.78.42

CORREO ELECTRÓNICO:

MODALIDAD PARA LA QUE SE PRESENTA (*)

PRECLÍNICA

CLÍNICA

ACTIVIDADES ANTERIORES DE CARÁCTER CIENTÍFICO O PROFESIONAL

<u>FECHA</u>	<u>PUESTO</u>	<u>INSTITUCIÓN</u>
1986-1989	Médico Interno Residente, Psiquiatría	Hospital de la Santa Creu i Sant Pau
1994-1997	Becario de Investigación	Institut de Recerca, Hospital Sant Pau
1998-2004	Médico Adjunto, Senior	Hospital de la Santa Creu i Sant Pau
2004-actual	Director Unidad de Psiquiatría	Hospital de la Santa Creu i Sant Pau
FECHA	10	01
		2011

(*) Preclínica: investigación básica orientada a la obtención de conocimiento con aplicación clínica y **Clínica:** investigación sobre humanos

Sus datos pueden ser incorporados en los ficheros automatizados existentes en Lilly S.A. de acuerdo con la Ley Orgánica 15/1999. Igualmente le informamos sobre la posibilidad de ejercer los derechos de acceso, rectificación, cancelación y oposición, en los términos establecidos en la legislación vigente.

			-	1	1
--	--	--	---	---	---

Nombre: PÉREZ SOLA, VÍCTOR

PUBLICACIONES EN LOS ULTIMOS 10 AÑOS POR ORDEN CRONOLÓGICO

AUTORES (por orden de firma); TITULO; REVISTA/LIBRO.

Corripio I, Rego A, Portella MJ, Pérez V, Escartí MJ, Camacho V, Sauras RB, Alonso A, Grasa E, Carrió I, Álvarez E.

The Role of striatal Dopamine D2 Receptors in extrapyramidal side effects appearance: an 123I-IBZM SPECT study with typical and atypical antipsychotics
Psychiatry Res: Neuroimaging. 2011 (accepted for publication)

Pascual JC, Martín-Blanco A, Soler J, Ferrer A, Tiana T, Alvarez E, Pérez V.

A naturalistic study of changes in pharmacological prescription for borderline personality disorder in clinical practice: from APA to NICE guidelines.

Int Clin Psychopharmacol. 2010 Nov;25(6):349-55.

FI: 3,345

Portella MJ, de Diego-Adeliño J, Gómez-Ansón B, Morgan-Ferrando R, Vives Y, Puigdemont D, Pérez-Egea R, Rusalleda J, Enric Álvarez, Pérez V.

Ventromedial prefrontal spectroscopic abnormalities over the course of depression: A comparison among first episode, remitted recurrent and chronic patients.

J Psychiatr Res. 2010 Sep 25. [Epub ahead of print]

FI: 3,723

Gesteira A, Barros F, Martín A, Pérez V, Cortés A, Baiget M, Carracedo A.

Pharmacogenetic studies on the antipsychotic treatment. Current status and perspectives.

Actas Esp Psiquiatr. 2010 Sep-Oct;38(5):301-16.

FI: 0,515

García-Sevilla JA, Alvaro-Bartolomé M, Díez-Alarcia R, Ramos-Miguel A, Puigdemont D, Pérez V, Alvarez E, Meana JJ.

Reduced platelet G protein-coupled receptor kinase 2 in major depressive disorder: Antidepressant treatment-induced upregulation of GRK2 protein discriminates between responder and non-responder patients.

Eur Neuropsychopharmacol. 2010 May 19. [Epub ahead of print]

FI 3,684

Martín-Blanco A, Pascual JC, Soler J, Valdepérez A, Pérez V.

Quetiapine in the treatment of refractory irritable bowel syndrome: a case report.

Prog Neuropsychopharmacol Biol Psychiatry. 2010 May 30;34(4):715-6. Epub 2010 Mar 16. No abstract available.

FI 2,823

Novick D, Haro JM, Suarez D, Perez V, Dittmann RW, Haddad PM.

Predictors and clinical consequences of non-adherence with antipsychotic medication in the outpatient treatment of schizophrenia.

Psychiatry Res. 2010 Apr 30;176(2-3):109-13. Epub 2010 Feb 24.

FI 2,373

Soria V, Martínez-Amorós E, Escaramís G, Valero J, Pérez-Egea R, García C, Gutiérrez-Zotes A, Puigdemont D, Bayés M, Crespo JM, Martorell L, Vilella E, Labad A, Vallejo J, Pérez V, Menchón JM, Estivill X, Gratacòs M, Urretavizcaya M.

Differential association of circadian genes with mood disorders: CRY1 and NPAS2 are associated with unipolar major depression and CLOCK and VIP with bipolar disorder.

Neuropsychopharmacology. 2010 May;35(6):1279-89. Epub 2010 Jan 13.

FI 6,993

Portella MJ, De Diego-Adeliño J, Ballesteros J, Puigdemont D, Oller S, Santos B, Álvarez E, Artigas F, Pérez V. Can we really accelerate and enhance the SSRI antidepressant effect? A randomized clinical trial and a meta-analysis of pindolol on non-resistant depressive patients.

J Clin Psychiatry 2010; ahead print.

Primer decil FI 5,053

Ramirez N, Arranz B, Salavert J, Alvarez E, Corripio I, Dueñas RM, Pérez V, San L.

Predictors of schizophrenia in patients with a first episode of psychosis.

			-	1	1
--	--	--	---	---	---

Nombre: PÉREZ SOLA, VÍCTOR

PUBLICACIONES EN LOS ULTIMOS 10 AÑOS POR ORDEN CRONOLÓGICO

AUTORES (por orden de firma); TITULO; REVISTA/LIBRO.

Psychiatry Res 2010 Jan 30;175(1-2):11-4.
FI: 2,666

Romera I, Pérez V, Menchón JM, Delgado-Cohen H, Polavieja P, Gilaberte I.
Social and occupational functioning impairment in patients in partial versus complete remission of a major depressive disorder episode. A six-month prospective epidemiological study.
Eur Psychiatry 2009; Jun 22. [Epub ahead of print]
FI: 2,433

Portella MJ, De-Diego-Adelino J, Perez-Egea R, Puigdemont D, Corripio I, Pascual JC, Soler J , Gomez-Anson B, Barbanoj M, Alvarez E, Pérez V.
Neuroplasticity and depression: First Depressive Episodes Studies (FIDEs)
European Journal of Psychiatry 2009; 23:140-146
FI: 0,481

Guitart-Masip M, Pascual JC, Carmona S, Hoekzema E, Bergé D, Pérez V, Soler J, Soliva JC, Rovira M, Bulbena A, Vilarroya O.
Neural correlates of impaired emotional discrimination in borderline personality disorder: An fMRI study.
Prog Neuropsychopharmacol Biol Psychiatry. 2009 Sep 11. [Epub ahead of print]
FI: 2,638

Puigdemont D, Portella MJ, Pérez-Egea R, de Diego-Adeliño J, Gironell A, Molet J, Duran-Sindreu S, Álvarez E, Pérez V.
Depressive relapse after initial response to SCG-DBS in a patient with a treatment-resistant depression: ECT as a feasible strategy.
Biological Psychiatry 2009;66(5):e11-2.
FI: 8,672

Portella MJ, De Diego-Adeliño J, Puigdemont D, Pérez-Egea R, Artigas F, Alvarez E, Pérez V.
Pindolol augmentation enhances response outcomes in first depressive episodes.
European Neuropsychopharmacology 2009; 19(7):516-9.
FI: 3,661

De Diego-Adeliño J, Portella MJ, Puigdemont D, Pérez-Egea, Alvarez E, Pérez V.
A short Duration of Untreated Illness (DUI) improves response outcomes in First Depressive Episodes.
Journal of Affective Disorders 2009 [Epub ahead of print]
FI: 3,271

Hegerl U, Wittenburg L, Gottlebe K, Arensman E, van Audenhove C, Bouleau JH, van der Feltz-Cornelis C, Gupponi G, Gusmao R, Kopp M, Löhr C, Marusie A, Maxwell M, Meise U, Oskarsson H, Perez Sola V, Pull C, Tuulari J, Värnik A, European Alliance Against Depression Consortium.
Focus on mental health care reforms in Europe: the European alliance against depression: a multilevel approach to the prevention of suicidal behavior.
Psychiatric Services 2009; 60(5): 596-599.
FI: 2,481

Soler J, Pascual JC, Tiana T, Cebrià A, Barrachina J, Campins MJ, Gich I, Alvarez E, Pérez V.
Dialectical behaviour therapy skills training compared to standard group therapy in borderline personality disorder: A 3-month randomised controlled clinical trial.
Behav Res Ther 2009; 47: 353-358.
FI: 2,895

Catafau AM, Suarez M, Bullich S, Llop J, Nucci G, Gunn RN, Brittain C, Laruelle M, and the Barcelona Clinical Imaging in Psychiatry Group (BCIPG).
Within-subject comparison of striatal D2 receptor occupancy measurements using 123IBZM SPECT and 11C Raclopride PET.
Neuroimage 2009; 46: 447-458.
FI: 5,694

Arranz B, San L, Ramírez N, Dueñas RM, Perez V, Salavert J, Corripio I, Alvarez E.

			-	1	1
--	--	--	---	---	---

Nombre: PÉREZ SOLA, VÍCTOR

PUBLICACIONES EN LOS ULTIMOS 10 AÑOS POR ORDEN CRONOLÓGICO

AUTORES (por orden de firma); TITULO; REVISTA/LIBRO.

Clinical and serotonergic predictors of non-affective acute remitting psychosis in patients with a first-episode psychosis.

Acta Psychiatr Scand. 2009 Jan;119(1):71-7. Epub 2008 Aug 29.

FI: 3,525

Värnik A, Kõlves K, Allik J, Arensman E, Aromaa E, van Audenhove C, Bouleau JH, van der Feltz-Cornelis CM, Giupponi G, Gusmão R, Kopp M, Marusic A, Maxwell M, Oskarsson H, Palmer A, Pull C, Realo A, Reisch T, Schmidtke A, Sola VP, Wittenburg L, Hegerl U.

Gender issues in suicide rates, trends and methods among youths aged 15-24 in 15 European countries. J Affect Disord 2009; 113(3):216-26.

FI: 3,271

Carlos Pascual J, Soler J, Puigdemont D, Pérez-Egea R, Tiana T, Alvarez E, PÉREZ V.

Ziprasidone in the Treatment of Borderline Personality Disorder: A Double-Blind, Placebo-Controlled, Randomized Study.

J Clin Psychiatry 2008; 69(4): 603-8.

FI: 5,053

Bramon E, Shaikh M, Broome M, Lappin J, Bergé D, Day F, Woolley J, Tabraham P, Madre M, Johns L, Howes O, Valmaggia L, Pérez V, Sham P, Murray RM, McGuire P.

Abnormal P300 in people with high risk of developing psychosis.

Neuroimage 2008; 41(2): 553-60

FI: 5,694

Montoya A, San L, Olivares JM, Pérez V, Casillas M, Lopez-Carrero C, Polavieja P, Escobar R.

Clinical characteristics of agitated psychotic patients treated with an oral antipsychotics attended in the emergency room setting: NATURA study.

Int J Psychiat Clin 2008; 12(2): 127-133.

FI: 0,410

Escobar R, San L, Pérez V, Olivares JM, Polavieja P, López-Carrero C, Casillas M, Montoya A.

Effectiveness results of olanzapine in acute psychotic patients with agitation in the emergency room setting: results from NATURA study.

Actas Esp Psiquiatr 2008; 36(3): 151-7.

FI: 0,446

Gomà-i-Freixanet M, Soler J, Valero S, Pascual JC, Pérez V.

Discriminant validity of the ZKPQ in a sample meeting BPD diagnosis vs. normal-range controls.

J Personal Disord 2008; 22(2): 178-90.

FI: 2,034

Pascual JC, Malagón A, Córcoles D, Ginés JM, Soler J, García-Ribera C, Pérez V, Bulbena A.

Immigrants and borderline personality disorder at a psychiatric emergency service.

Br J Psychiatry. 2008 Dec;193(6):471-6.

FI: 5,077

Hegerl U, Wittmann M, Arensman E, van Audenhove C, Bouleau JH, van der Feltz-Cornelis C, Gusmao R, Kopp M, Löhr C, Maxwell M, Meise U, Mirjanic M, Oskarsson H, Pérez V, Pull C, Pycha R, Ricka R, Tuulari J, Värnik A, Pfeiffer-Gerschel T.

The 'European Alliance Against Depression (EAAD)': a multifaceted, community-based action programme against depression and suicidality.

World J Biol Psychiatry 2008; 9(1): 51-8.

FI: 3,582

Pérez V, Cañas F, Tafalla M; TESIS Study Group.

A 12-month, open-label, comparative study of quetiapine and risperidone in the acute and long-term treatment of schizophrenia.

Int Clin Psychopharmacol 2008; 23(3): 138-49.

FI: 2,928

Nombre: PÉREZ SOLA, VÍCTOR**PUBLICACIONES EN LOS ULTIMOS 10 AÑOS POR ORDEN CRONOLÓGICO****AUTORES (por orden de firma); TITULO; REVISTA/LIBRO.**

Soler J, Trujols J, Pascual JC, Portella MJ, Barrachina J, Campins J, Tejedor R, Alvarez E, Pérez V.
Stages of change in dialectical behaviour therapy for borderline personality disorder.

Br J Clin Psychol 2008; 47(4): 417-26.

FI: 1,869

Värnik A, Kõlves K, van der Feltz-Cornelis CM, Marusic A, Oskarsson H, Palmer A, Reisch T, Scheerder G, Arensman E, Aromaa E, Giupponi G, Gusmão R, Maxwell M, Pull C, Szekely A, Pérez V, Hegerl U.

Suicide methods in Europe: a gender-specific analysis of countries participating in the "European Alliance Against Depression".

J Epidemiol Community Health 2008; 62(6):545-51.

FI: 3,271

Pascual JC, Soler J, Barrachina J, Campins MJ, Alvarez E, Perez V, Cortés A, Baiget M.

Failure to detect an association between the serotonin transporter gene and borderline personality disorder.

J Psychiatr Res 2008 Jan;42(1):87-8.

FI: 4,679

Pascual JC, Córcoles D, Castaño J, Ginés JM, Gurrea A, Martín-Santos R, Garcia-Ribera C, Perez V, Bulbena A.
Hospitalization and pharmacotherapy for Borderline Personality Disorder in a Psychiatric Emergency Service.

Psychiatric Services 2007;58(9):1199-204

FI: 2,068

Cañas F, Pérez-Solá V, Díaz S, Rejas J; ZIMO Trial Collaborative Group.

Cost-effectiveness analysis of ziprasidone versus haloperidol in sequential intramuscular/oral treatment of exacerbation of schizophrenia - Economic subanalysis of the ZIMO trial.

Clin Drug Investig 2007; 27(9): 633-45.

FI: 0,602

Pascual JC, Pérez V, Martín JL, Safont G, Puigdemont D, Alvarez E.

Olanzapine orally-disintegrating tablet in severe psychotic agitation: a naturalistic study.

Actas Esp Psiquiatría 2007; 35 (1): 47-51.

FI: 0,316

Pascual JC, Soler J, Baiget M, Cortés A, Menoyo A, Barrachina J, Roperó M, Gomà M, Álvarez E, Pérez V.

Association between the serotonin transporter gene and personality traits in borderline personality disorder patients evaluated with Zuckerman-Kuhlman Personality Questionnaire (ZKPQ).

Actas Esp Psiquiatría 2007; 35(6): 382-6.

FI: 0,316

Pérez V, Barrachina J, Soler J, Pascual JC, Campins MJ, Puigdemont D, Alvarez E.

The clinical global impression scale for borderline personality disorder patients (CGI-BPD): a scale sensible to detect changes.

Actas Esp Psiquiatría 2007; 35(4): 229-35.

FI: 0,316

Catafau AM, Corripio I, Pérez V, Martín JC, Schotte A, Carrió I, Alvarez E.

Dopamine D2 receptor occupancy by risperidone: implications for the timing and magnitude of clinical response.

Psychiatry Res 2006 Dec 1;148(2-3):175-83. Epub 2006 Oct 23.

FI: 2,755

Catafau A, Pérez V, Plaza P, Pascual J.C, Bullich S, Suarez M, Panengo M, Corripio I, Puigdemont D, Danús M, Perich J, Álvarez E.

Serotonin Transporter occupancy induced by paroxetine in patients with major depression disorder: A 123I-ADAM SPECT study.

Psychopharmacology 2006;189(2):145-153.

FI: 3,625

Pascual JC, Madre M, Soler J, Barrachina J, Campins MJ, Alvarez E, Pérez V.

Injectable atypical antipsychotics for agitation in borderline personality disorder.

			-	1	1
--	--	--	---	---	---

Nombre: PÉREZ SOLA, VÍCTOR

PUBLICACIONES EN LOS ULTIMOS 10 AÑOS POR ORDEN CRONOLÓGICO

AUTORES (por orden de firma); TITULO; REVISTA/LIBRO.

Pharmacopsychiatry 2006; 39: 117-118.

FI: 2,849

Corripio I, Pérez V, Catafau AM, Mena E, Carrio I, Alvarez E.

Striatal D2 receptor binding as a marker of prognosis and outcome in untreated first-episode psychosis.

Neuroimage 2006; 29(2): 662-666.

FI: 5,559

Martin JL, Pérez V, Sacristan M, Rodriguez-Artalejo F, Martinez C, Alvarez E.

Meta-analysis of drop-out rates in randomised clinical trials, comparing typical and atypical antipsychotics in the treatment of schizophrenia.

Eur Psychiatry 2006; 21(1): 11-20.

FI: 1,463

Masoliver E, Menoyo A, Pérez V, Volpini V, Rio ED, Perez J, Alvarez E, Baiget M.

Serotonin transporter linked promoter (polymorphism) in the serotonin transporter gene may be associated with antidepressant-induced mania in bipolar disorder.

Psychiatric Genet 2006; 16(1): 25-29.

FI: 2,366

San L, Arranz B, Querejeta I, Barrios S, de la Gandara J, Pérez V.

A naturalistic multicenter study of intramuscular olanzapine in the treatment of acutely agitated manic or schizophrenic patients.

Eur Psychiatry 2006; 21:539-43.

FI: 1,463

Pinto A, Caseras S, Soler J, Puigdemont D, Pérez V, Torrubia R.

Behavioural inhibition and behavioural activation systems in current and recovered major depression participants.

Personality and Individual Differences 2006; 40(2): 215-226.

FI: 1,589

Pascual JC, Madre M, Puigdemont D, Oller S, Corripio I, Diaz A, Faus G, Pérez V, Alvarez E.

A naturalistic study: 100 consecutive episodes of acute agitation in a psychiatric emergency department.

Actas Esp Psiquiatría 2006; 34(4): 239-44.

FI: 0,281

Catafau A, Pérez V, Penengo M, Bullich S, Danús M, Puigdemont D, Pascual J.C, Corripio I, Llop J, Perich J, Álvarez E.

SPECT of serotonin transporters using 123I-ADAM: Optimal imaging time after bolus injection and long-term test-retest in healthy volunteers.

J Nuclear Medicine 2005; 46 (8): 1301-9.

FI: 4,684

Corripio I, Catafau AM, Pérez V, Puigdemont D, Mena E, Aguilar Y, Carrio I, Alvarez E.

Striatal dopaminergic D2 receptor occupancy and clinical efficacy in psychosis exacerbation: a 123I-IBZM study with ziprasidone and haloperidol.

Prog Neuropsychopharmacol Biol Psychiatry 2005; 29(1): 91-96.

FI: 2,769

Martin JL, Pérez V, Sacristan M, Alvarez E.

Is grey literature essential for a better control of publication bias in psychiatry? An example from three meta-analyses of schizophrenia.

Eur Psychiatry 2005;20(8): 550-553.

FI: 1,273

Soler J, Pascual JC, Campins J, Barrachina J, Puigdemont D, Alvarez E, Pérez V.

Double-blind, placebo-controlled study of dialectical behavior therapy plus olanzapine for borderline personality disorder.

Am J Psychiatry 2005; 162(6): 1221-1224.

Nombre: PÉREZ SOLA, VÍCTOR**PUBLICACIONES EN LOS ULTIMOS 10 AÑOS POR ORDEN CRONOLÓGICO****AUTORES (por orden de firma); TITULO; REVISTA/LIBRO.**

FI: 8,286

Garcia-Sevilla JA, Ventayol P, Pérez V, Rubovszky G, Puigdemont D, Ferrer-Alcon M, Andreoli A, Guimon, J., and Alvarez, E.

Regulation of platelet alpha 2A-adrenoceptors, Gi proteins and receptor kinases in major depression: effects of mirtazapine treatment.

Neuropsychopharmacology 2004; 29(3): 580-588.

FI: 4,491

Barrachina J, Soler J, Campins MJ, Tejero A, Pascual JC, Alvarez E, Zananini M, Pérez V.

Validación de la Versión Española de la Diagnostic Interview for Borderlines - Revised (DIB-R).

Actas Españolas de Psiquiatría 2004;32(5):293-8.

FI: 0,241

Pascual JC, Oller S, Soler J, Corripio I, Borrachina J, Alvarez E, Pérez V.

Ziprasidone in acute treatment of borderline personality disorder in Psychiatric Emergency Services: a preliminary study.

Journal of Clinical Psychiatry 2004;65(9):1281-3.

FI: 4,806

Pérez V, Catafau AM, Corripio I, Martin JC, Alvarez E.

Preliminary evidence of striatal D2 receptor density as a possible biological marker of prognosis in naive schizophrenic patients.

Prog Neuropsychopharmacol Biol Psychiatry 2003; 27[5], 767-770.

FI: 1,827

Pérez V.

Olanzapina bucodispersable: pequeños cambios, grandes posibilidades.

Actas Españolas de Psiquiatría (Monografías) 2004; 31(1):50-54.

FI: 0,241

Pérez V, Puigdemont D.

Esquizofrenia y depresión.

Actualizaciones en Psiquiatría 2003:2.

Martin JL, Barbanoj MJ, Schlaepfer TE, Thompson E, Pérez V, Kulisevsky J.

Repetitive transcranial magnetic stimulation for the treatment of depression. Systematic review and meta-analysis.

Br J Psychiatry 2003;182:480-91.

FI: 4,421

Martin JLR, Barbanoj MJ, Pérez V, Sacristán M.

Transcranial magnetic stimulation for the treatment of obsessive-compulsive disorder.

Cochrane Database of Systematic Reviews, Issue 3, 2003. Oxford: Update Software Ltd. All rights reserved.

Martín JLR, Barbanoj MJ, Schlaepfer TE, Clos S, Pérez V, Kulisevsky J, Gironell A.

Transcranial magnetic stimulation for treating depression.

Cochrane Database of Systematic Reviews, Issue 2, 2002. Oxford: Update Software.

Barbanoj MJ, Valle M, Kulisevsky J, Perez V, Gambus P.

Uses of pharmaco-EEG and pharmacokinetic-pharmacodynamic modeling in the clinical scenario. Methods Find Exp Clin Pharmacol 2002;24 Suppl D:139-44.

FI: 0,489

Pérez V, Puigdemont D, Gilaberte I, Alvarez E, Artigas F.

Augmentation of Fluoxetine's antidepressant action by Pindolol: Analysis of clinical, pharmacokinetic, and methodologic factors.

J Clin Psychopharmacol 2001; 21:36-45.

FI: 4,013

			-	1	1
--	--	--	---	---	---

Nombre: PÉREZ SOLA, VÍCTOR

PUBLICACIONES EN LOS ULTIMOS 10 AÑOS POR ORDEN CRONOLÓGICO

AUTORES (por orden de firma); TITULO; REVISTA/LIBRO.

Catafau AM, Pérez V, Gironell A, Martín JC, Kulisevsky J, Estorch, Carrió I, Alvarez E.
SPECT mapping of cerebral activity changes induced by repetitive transcranial magnetic stimulation in depressed patients. A pilot study.
Psychiatry Research 2001; 106: 151-160.
FI: 1,775

Gilaberte I, Montejo AL, de la Gandara J, Perez V, Bernardo M, Massana J, Martin-Santos R, Santiso A, Noguera R, Casais L, Perez-Camo V, Arias M, Judge R. Fluoxetine Long-Term Study Group.
Fluoxetine in the prevention of depressive recurrences: a double-blind study.
J Clin Psychopharmacol. 2001;21(4):417-24.
FI: 4,013

Soler J, Campins MJ, Pérez V, Puigdemont D, Pérez-Blanco J, Alvarez E.
Olanzapine and cognitive-behavioural group therapy in Borderline Personality Disorder.
Actas Esp Psiquiatría 2001; 29:85-90.
FI: 0,272

Alvarez E, Pérez V.
Eficacia de quetiapina en el tratamiento de la esquizofrenia.
Actas Esp Psiquiatría 2001; 29 Suppl 1: 9-16.
FI: 0,272

Pérez V.
Tenemos lo que nos merecemos. (Editorial)
Psiquiatría Biológica 2000; 7:40-50.

Sacristant JA, Gilaberte I, Boto B, Buesching DP, Obenchain RL, Demitrack M, Pérez V, Alvarez E, Artigas F.
Cost- effectiveness of fluoxetine plus pindolol in patients with major depressive disorder: results from a randomized, double blind clinical trial.
International Clinical Psychopharmacology 2000; 15:107-113.
FI: 2,076

Artigas F, Pérez V, Alvarez E.
Pretreatment platelet 5-HT concentration predicts the short-term response to paroxetine in major depression.
Biol Psychiatry 2000; 47(9):846-847.
FI: 4,269

			-	1	1
--	--	--	---	---	---

Nombre: PÉREZ SOLA, VÍCTOR	
REFERIDO EXCLUSIVAMENTE A LAS PUBLICACIONES DE LOS ÚLTIMOS 10 AÑOS, INDICAR ÍNDICE DE IMPACTO GLOBAL Y N° DE CITAS RECIBIDAS	
Índice Impacto Global:	_____
N° de Citas Recibidas:	_____

**INDICAR LAS CINCO PUBLICACIONES QUE CONSIDERE MÁS RELEVANTES,
CON SU ÍNDICE DE IMPACTO (I. I.) Y N° DE CITAS (N. C.) RECIBIDAS EN CADA CASO
DE LAS CINCO INDICADAS, APORTAR SEPARATAS EN DOCUMENTO PDF**

AUTORES (por orden de firma):		Índice Impacto:	
TÍTULO:		N° Citas:	
REVISTA/LIBRO:			
1	Artigas F, Pérez V, Álvarez E. Pindolol Induces a Rapid Improvement of Depressed Patients Treated with Serotonin Reuptake Inhibitors. Arch Gen Psychiatry 1994; 51: 248-251.	I.I.:	<u>10,751</u>
		N.C.:	<u>416</u>
2	Pérez V, Gilaberte I, Faries D, Álvarez E, Artigas F. Randomised, double-blind, placebo-controlled trial of pindolol in combination with fluoxetine antidepressant treatment. The Lancet 1997; 349: 1594-97.	I.I.:	<u>16,135</u>
		N.C.:	<u>225</u>
3	Pérez V, Soler J, Puigdemont D, Alvarez E, Artigas F. A double-blind, randomised, placebo-controlled trial of pindolol augmentation in depressive patients resistant to serotonin reuptake inhibitors. Arch Gen Psychiatry 1999; 56: 375-379.	I.I.:	<u>10,952</u>
		N.C.:	<u>99</u>
4	Angel L, Montejo-González G, Llorca JA, Izquierdo V, Ledesma A, Bousoño M, Calcedo A, Carrasco JI, Ciudad J, Daniel E, de la Gandara J, Derecho J, Franco M, Gómez MJ, Macias JA, Martín T, Pérez V, Sánchez JM, Sánchez S, Vicens E, Grupo Español para el Estudio de las Disfunciones Sexuales Secundarias al Uso de Psicofármacos. SRI-induced sexual dysfunction: fluoxetine, paroxetine, sertraline, and fluvoxamine in a prospective, multicenter, and descriptive clinical study of 344 patients. J Sex Marital Ther 1997; 23:176-188.	I.I.:	<u>2,214</u>
		N.C.:	<u>223</u>
5	Soler J, Pascual JC, Campins J, Barrachina J, Puigdemont D, Alvarez E, Pérez V. Double-blind, placebo-controlled study of dialectical behavior therapy plus olanzapine for borderline personality disorder. Am J Psychiatry 2005; 162(6): 1221-1224.	I.I.:	<u>8,286</u>
		N.C.:	<u>51</u>

Nombre: PÉREZ SOLA, VÍCTOR

**SÍNTESIS PERSONAL DE SUS PRINCIPALES APORTACIONES CIENTÍFICAS Y SU APLICABILIDAD
(No más de 100 palabras)**

- Estudios de acortamiento de la latencia en la respuesta a los antidepresivos mediante pindolol. Los últimos resultados destacan por su aplicabilidad en los estadios más tempranos de la enfermedad depresiva.
- Proyecto innovador en el tratamiento de la depresión resistente mediante estimulación cerebral profunda.
- Coordinador estatal del proyecto europeo "European Alliance Against Depression" para el establecimiento de estrategias y terapéuticas preventivas del trastorno depresivo mayor y la conducta suicida.
- Coordinador del grupo pionero en investigación sobre trastorno de la personalidad límite, con la creación de un Hospital de Día y validación al castellano de varios instrumentos diagnósticos y de evaluación, así como la participación en diferentes guías clínicas para el tratamiento de este trastorno.

OTRAS ACTIVIDADES O MÉRITOS RELEVANTES DE INTERÉS CIENTÍFICO, TÉCNICO O ACADÉMICO

AÑO	ACTIVIDAD
1996- 2003 2009	Médico Especialista en Psiquiatría y Director de Unidad Miembro Consejo Asesor para Salud Mental de la Generalitat de Catalunya Experto de la OMS para el desarrollo de la CIE11
2009	Coordinador del "Grup de Recerca en Psiquiatria Clínica" reconocido como grupo consolidado por la Generalitat de Catalunya (176SGR2009)
2005- 2008	Profesor de Psiquiatría de la Facultad de Medicina, Universitat Autònoma de Barcelona Miembro del Comité Directivo del CIBERSAM y Coordinador del Área de Depresión
1997-2001	Investigador Principal de más de veinte proyectos y ensayos clínicos financiados con fondos públicos y privados Presidente de la Sociedad Catalana de Salud Mental 1997-2001,
2004-	Vice-Vocal y Vocal en la Junta de la Sociedad Española de Psiquiatría Biológica Revisor habitual de las principales revistas del área temática, evaluador del FIS, asesor para psicofármacos de la AEM-CODEM y experto de la EMEA para psicofármacos en depresión. ECNP Fellow Award 2003 American College of Neuropsychopharmacology Premio a la excelencia profesional, Colegio Oficial de Médicos de Catalunya

Nombre: PÉREZ SOLA, VÍCTOR

PATENTES Y MODELOS DE UTILIDAD

AUTORES (por orden de firma):

TITULO:

Nº REGISTRO:

ENTIDAD TITULAR:

PAISES:

Empty space for providing details for AUTORES, TITULO, Nº REGISTRO, ENTIDAD TITULAR, and PAISES.

REFERENCIAS DE 3 INVESTIGADORES CON LOS QUE PUEDA CONTACTAR LA FUNDACIÓN LILLY, DE LOS QUE AL MENOS 1 DESARROLLE SU LABOR INVESTIGADORA FUERA DE ESPAÑA

<p>REFERENCIA 1</p>	<p>Francesc Artigas PhD Director del Dpto. de neuroquímica y Neurofarmacología Institut d'Investigacions Biomediques de Barcelona Consejo Superior de Investigaciones Cientificas (CSIC), IDIBAPS C/ Rossello 161, 6ª planta, 08036 Barcelona Tel.: 93-363 83 00 ext. 341</p>
<p>REFERENCIA 2</p>	<p>Celso Arango PhD Director Científico del CIBERSAM y Jefe de Sección de Psiquiatría en el Hospital Gregorio Marañón. c/ Dr. Esquerdo 46 Hospital Gregorio Marañón- Pabellón de Gobierno- 1ª Planta 28007 Madrid Tel.: 91.426.50.17 / 91.586.81.33</p>
<p>REFERENCIA 3</p>	<p>Prof. Ulrich Hegerl Director de EAAD (European Allinace Against Depression) y Director del Dpto. de Psiquiatría de la Universidad de Leipzig (Alemania) Semmelweisstr. 10 04103 Leipzig (Germany) Phone: 0049-341 9724440 Fax: 0049 - 341 9724589</p>

				1	1
--	--	--	--	----------	----------

Nombre: PÉREZ SOLA, VÍCTOR

ACTIVIDADES CIENTÍFICAS / TÉCNICAS
LÍNEAS DE INVESTIGACIÓN A LAS QUE PREVISIBLEMENTE DESTINARÍA LA AYUDA
(POTENCIAL APLICABILIDAD E IMPACTO CIENTÍFICO, MÉDICO Y SOCIAL DE LAS LÍNEAS DE TRABAJO PROPUESTAS)

LÍNEA:

CENTRO:

LUGAR DE CELEBRACION:

AÑO:

FECHA:

LÍNEA: Estimulación cerebral profunda para el tratamiento de la depresión mayor resistente/crónica.

CENTRO: Servicio de Psiquiatría, Hospital de la Santa Creu i Sant Pau

Fecha: 2011-2012.

Lugar de celebración: Barcelona

Los proyectos sobre Estimulación Cerebral Profunda son de alta complejidad técnica y en estos momentos tras finalizar el primer periodo de reclutamiento se inicia un estudio funcional y de mecanismo de acción de la técnica y su posible indicación en pacientes bipolares de ciclación rápida.

Tras la aprobación del proyecto PS09/00580 por parte de la AEM, la previsión es implantar la ECP a todos los pacientes entre septiembre de 2010 y junio de 2011, además de iniciar el estudio PET con los pacientes previamente implantados en enero de 2011.

Los pacientes implantados previamente en el estudio PI06/0662 (Estimulación Cerebral Profunda en Depresión Mayor Resistente al tratamiento. Estudio controlado y cruzado de eficacia y tolerancia) iniciarán la fase del estudio doble ciego tras la optimización de los parámetros de estimulación.